



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 09/12/2002

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: WONDER GROUP

ALTERNATE NAMES:

MARICOPA COUNTY MILS NUMBER: 97B

LOCATION: TOWNSHIP 4 N RANGE 7 W SECTION 36 QUARTER SE
LATITUDE: N 33DEG 38MIN 24SEC LONGITUDE: W 112DEG 55MIN 13SEC
TOPO MAP NAME: BELMONT MTS - 15 MIN

CURRENT STATUS: PAST PRODUCER

COMMODITY:

COPPER OXIDE
GOLD LODE
SILVER
LEAD

BIBLIOGRAPHY:

USGS BELMONT MTS QUAD
ADMMR WONDER GROUP FILE
ADMMR "U" FILE MARICOPA Cu-11
CONFLICTING LOC. SEC 11-T3N-R6W

BUDA GROUP 1

Maricopa County

RRB WR 5/16/80: At the approximate corner of Sections 25 and 36, T4N, R7W, and Sections 30 and 31, T4N, R6W, someone has been doing some dozer work. There was considerable oxide copper mineralization in the cut. Claim markers were found marked, Buda Group 1, 1979, 1-AMC 57516 and 2-AMC 57517.

6/20/80

MW-2 WONDER GROUP - R. S. Eimicke, Wickenburg, Arizona.

Copy of Mine Owners Report covering property listed with the
Department of Mineral Resources has been furnished to -

J. A. Fults, 126 1/2 N. Ave. 50, Los Angeles, Calif.

Walter Z. Allen, Box 37, Palm Springs, Calif.

Chas. E. Lees, 240 N. Cliffwood Ave., Los Angeles, Calif.

DEPARTMENT OF MINERAL RESOURCES

J. S. Coupal, Director

Eimicke, R. S.
Wickenburg, Arizona

Unclaimed 8-28-42

12-20-39

See MW-2 - Re Field Engineers Report - WONDER GROUP, Maricopa Co.

*Triangle Mining, Milling &
Development Company
supposedly had this property
about 1920.*

*See Comeback Claims (file)
3/29/47*

(as per Mr Bourbonnais) 1966

Wonder Group

Maricopa County

2 miles S. of Belmont Mine

reference: Arizona Dept. of Mineral Resources
Wonder Group (file)

present owner:

minerals: copper, gold, silver

history of the area:

In 1939 the property was owned
by George Bodiroga, R.S. Eimicke,
J. Eisenhart of Wickenburg. By 1942
the property was unclaimed.

Apparently 2 car loads of ore were
taken from the shaft in 1917, valued
at \$83 per ton.

geology of the area:

andesite and rhyolite; no definite vein;
a contact body shows some mineralization

property consists of 7 possessory rights

DEPARTMENT OF MINERAL RESOURCES

STATE OF ARIZONA

FIELD ENGINEERS REPORT

Date Dec. 20, 1939

Mine Wonder Group

Engineer

District Vulture

Location Big Horn Mts. 2 mi. S. of Belmont Mine

Former name

Owner Geo. Bodioga, R. S. Eimicke,
J. Eisenhart

Address Wickenburg

Operator

Address

President

Gen. Mgr.

Mine Supt. Mill Supt.

Principal Metals Copper, gold silver Men Employed

Production Rate

Mill: Type & Cap.

Power: Amt. & Type

Water Supply

Operations: Present None

Operations Planned Develop in 65' tunnel on contact.

Number Claims, Title, etc. 7- possessory rights, Wonder

Description: Topog. & Geog. Low hills below cliffs of overlying rhyolite

Mine Workings: Amt. & Condition Shaft 45' and 30' drift
65' tunnel, shallow cuts

Geology & Mineralization

Andesite, and rhyolite, bunches of ore, chalcocite, no definite vein, A contact body shows some mineralization, flat dip

Date Dec. 20, 1939

Ore: Positive & Probable, Ore Dumps, Tailings

Mine Wonder Group

Location Belmont Mine
Btg Horn Mts. 2 mi. S. of

District Vulture

Former name

Mine, Mill Equipment & Flow Sheet

Address

Owner Geo. Bodinos, R. S. Himske,

Address

Operator J. Hadschert

Gen. Mgr.

President

Road Conditions, Route County road in good condition Wickenburg to Vulture 14 mi., thence to Belmont Road, passing Belmont mine 17 mi., thence left turn up wash 3 mi., 25 miles S. to R. R. at Hassayampa on S. P.

Mill Type & Cap.

Production Rate

Water Supply None

Power: Amt. & Type

Operations: Present None

Brief History None, 2 cars ore taken from shaft in 1917, value \$83 per ton.

Operations Planned Develop in 65' tunnel on contact.

Special Problems, Reports Filed

Number Claims, Title, etc. 7- possessory rights, Wonder

Remarks A prospect.

In the vicinity of the Belmont mine, an old producer.

Description: Topog. & Geog. low hills below cliffs of overlying rhyolite

If property for sale: Price, terms and address to negotiate.

Mine Workings: Amt. & Condition Shaft 45' and 30' drift 65' tunnel, shallow cuts

Signed Carl G. Barth

Use additional sheets if necessary. Separate sheets on each problem.

(over)

23
V
DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Date

Dec. 20, 1939

Mine

Wonder Group

Engineer

District

Vulture

Location

Big Horn Mts.

Former name

2 mi S. of Belmont
Mine:

Owner s

Geo. Bodiroga, R.S. Eimicke
J. Eisenhart

Address

Wickenburg.

Operator

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals

Copper, Gold, Silver

Men Employed

Production Rate

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present

None

Operations Planned

Develop in 65' Tunnel on
Contact.

Number Claims, Title, etc.

7 - Possessory rights
Wonder

Description: Topog. & Geog.

Low hills below cliffs of
overlying Rhyolite

Mine Workings: Amt. & Condition

Shaft 45' & 30' drift
65' Tunnel - shallow cuts

Geology & Mineralization

Andesite & Rhyolite - Bunches of
Ore - Chalcocite - No definite
vein - A contact body shows some
mineralization - flat dip.

Ore: Positive & Probable, Ore Dumps, Tailings

None

Mine, Mill Equipment & Flow Sheet

Road Conditions, Route

County road in good condition
Nickenburg to Vulture 14 mi; Thence to
Belmont Road, passing Belmont Mine
17 mi; thence left turn up wash 3 mi.
Water Supply 25 miles S. to R.R. at Hassayampa on S.P.

None

Brief History

None - 2 cars Ore taken from shaft
1917 Value \$83.00 per ton

Special Problems, Reports Filed

Remarks

A Prospect
In the vicinity of the Belmont-
Mine an old producer.

If property for sale: Price, terms and address to negotiate.

Signed

Carl G. Barth

M-W-2

DEPARTMENT OF MINERAL RESOURCES.
STATE OF ARIZONA
OWNERS MINE REPORT

Date July 11, 1939

Mine Wonder Group

District Vulture

Location 12 mi. south of Vulture mine -
3/4 mi. due east from Tonapa
Belmont or McNeil mine

Former name

Owner Geo. Bodioga - R. S. Eimicke -
J. Eisenhart - all of Wickenburg

Address

Operator

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Gold, silver & copper
lead

Men Employed

Production Rate

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present Assessment work completed and affidavit of labor filed

Operations Planned Sinking shaft and driving tunnel

Number Claims, Title, etc. 7 claims - Wonder - Wonder #1,2,3,4,5,6

Description: Topog. & Geog. Rhyolite and andesite formation - mountainous - tunnel
half way up mountain - shaft at foot of same mountain

Mine Workings: Amt. & Condition 45 ft. shaft and 30 ft. drift - 65 ft. tunnel -
trench work - improvement on leads

Geology & Mineralization Granite on north - schist on south - 3/4 mi. between the two - Rhyolite lays on granite - andesite on the rhyolite, then the schist on the south - granite is the foot wall and the schist the hanging wall

Ore: Positive & Probable, Ore Dumps, Tailings 6 ft. vein of ore in tunnel - 4 ft. vein in shaft - 300 ton ore dump - ore in the andesite.

Mine, Mill Equipment & Flow Sheet

Road Conditions, Route Good - 17 mi. from Vulture mine - drive 5 mi. south from Belmont - turn left at sign - drive 3 mi. to mine. 25 mi. to railroad at Hassayampa

Water Supply none - could be developed

Brief History 2 carloads of copper glantz taken from shaft and drift in 1917 - averaged \$83 ton

Special Problems, Reports Filed

Remarks Can open ore bodies in tunnel or shaft

If property for sale: Price, terms and address to negotiate. Would like a royalty basis

Signed R. S. Eimicke
Box S - Wickenburg, Ariz.

Use additional sheets if necessary.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

Date

July 11, 1939

Mine

Wonder Group

District

Yulture

Location

17 mi. south of Tuckum
mine - 3/4 mi. due east
from Tonapa Belmont &
McNeil mine -

Former name

Owner

Geog. Rodriguez - R. S. Einicke
J. Eisenhart - all of Wickenburg

Address

Operator

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals

Gold silver & copper
lead

Men Employed

Production Rate

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present

assessment work completed and affidavit
of labor filed

Operations Planned

sinking shaft and driving tunnel

Number Claims, Title, etc.

7 claims. Wonder - Wonder # 1-2-3-4-5-6

Description: Topog. & Geog.

Rhyolite and andesite formation -
mountainous - tunnel half way up mountain -
shaft at foot of ^{same} mountain

Mine Workings: Amt. & Condition

45 ft. shaft and 30 ft drift -
65 ft. tunnel - trench work - improvements
on leads -

Geology & Mineralization

Granite on North - Schist on South.
3/4 mi. between the two - Rhyolite lays on Granite
Andesite on the Rhyolite then the Schist on
the south - Granite with foot wall and the schist
the hanging wall

Ore: Positive & Probable, Ore Dumps, Tailings

6 ft. vein of ore in tunnel - 4 ft vein in shaft.
300 ton ore dump - ore in the andesite.

Mine, Mill Equipment & Flow Sheet

Road Conditions, Route

drive 17 mi. from Vulture mine -
5 mi. south from Belmont - turn left at sign -
drive 3 mi. to mine. 25 mi. to railroad
at Passaic mesa.

Water Supply

none - could be developed.

Brief History

2 carloads of copper glance taken from
shaft and drift in 1917 - averaged 8 1/2 ton

Special Problems, Reports Filed

Remarks

can open ore bodies in tunnel or
shaft

If property for sale: Price, terms and address to negotiate.

Would like a royalty
basis -

Signed

H. L. Kinnick

Use additional sheets if necessary.

Pao S. Hockenburg, Ariz.